



















Motorola MC55

Accessories Guide
















MC55 Accessories

Cradles	
Single Slot Cradles	
	Single Slot USB Charging Cradle — CRD5500-1000UR Includes a bay for spare battery charging. Requires Power Supply KT-14000-148R and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 7.1 cm (2.80 in.) / Width: 11.0 cm (4.33 in.) / Depth: 15.0 cm (5.91 in.) / Weight: 210 g (7.41 oz) / Power: 12 VDC
	Single Slot USB Charging Cradle Kit (US) — CRD5500-100UR Kit Includes: Single Slot USB Charging Cradle (CRD5500-1000UR), Power Supply (KT-14000-148R), and US three wire grounded AC power line cord (23844-00-00R).
	Single Slot USB Charging Cradle Kit (International) — CRD5500-101UR Kit Includes: Single Slot USB Charging Cradle (CRD5500-1000UR) and Power Supply (KT-14000-148R). Requires purchase of country specific three wire grounded AC power line cord.
Single Slot Cradle Accessories*	
	Power Supply — KT-14000-148R 100-240 VAC, 12VDC, 3.33A
	US AC Line Cord — 23844-00-00R
	USB Communication Cable — 25-68596-01R
Four Slot Cradles	
Charging Only	
	Four Slot Charge Only Cradle — CRD5500-4000CR Charges four terminals at one time. Requires purchase of Power Supply 50-14000-241R, DC Line Cord 50-16002-029R, and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 13.7 cm (5.39 in.) / Width: 46.8 cm (18.43 in.) / Depth: 9.9 cm (3.90 in.) / Weight: 1115 g (39.33 oz) / Power: 12 VDC
	Four Slot Charge Only Cradle Kit (US) — CRD5500-400CR Kit Includes: Four Slot Charge Only cradle (CRD5500-4000CR), Power Supply (50-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	Four Slot Charge Only Cradle Kit (International) — CRD5500-401CR Kit Includes: Four Slot Charge Only cradle (CRD5500-4000CR) and Power Supply (50-14000-241R) with DC line cord (50-16002-029R). Requires purchase of country specific three wire grounded AC power line cord.
Charging and Ethernet Connectivity	
	Four Slot Ethernet Charging Cradle — CRD5500-4000ER** Simultaneously charges and provides Ethernet connectivity to four terminals. Requires purchase of Power Supply 50-14000-241R, DC Line Cord 50-16002-029R, and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 13.7 cm (5.39 in.) / Width: 46.8 cm (18.43 in.) / Depth: 9.9 cm (3.90 in.) / Weight: 1115 g (39.33 oz) / Power: 12 VDC
	Four Slot Ethernet Charging Cradle Kit (US) — CRD5500-400ER** Kit Includes: Four Slot Ethernet cradle (CRD5500-4000ER), Power Supply (50-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	Four Slot Ethernet Charging Cradle Kit (International) — CRD5500-401ER** Kit Includes: Four Slot Ethernet cradle (CRD5500-4000ER) and Power Supply (50-14000-241R) with DC line cord (50-16002-029R). Requires purchase of country specific three wire grounded AC power line cord.
Four Slot Cradle Accessories*	
	Power Supply — 50-14000-241R 100-240VAC, 12VDC, 9A
	DC Line Cord — 50-16002-029R
	US AC Line Cord — 23844-00-00R
	Wall Mount Cradle Bracket for mounting four slot cradles only — 8710-050006-01R

*See International Line Cords section for list of International two wire grounded AC Line Cords.

** Available March 2009

Batteries	
	Spare Battery — BTRY-MC55EAB00 2400 mAh
	Spare Battery — BTRY-MC55EAB02 3600 mAh
Battery Chargers	
	Four Slot Battery Charger — SAC5500-4000CR Charges four standard and extended capacity MC55 batteries. Requires Power Supply KT-14000-148R and country specific three wire grounded AC power line cord. <i>Specifications:</i> Height: 4.7 cm (1.85 in.) / Width: 15.5 cm (6.10 in.) / Depth: 21.0 cm (8.27 in.) / Weight: 384 g (13.55 oz) / Power: 12 VDC
	Four Slot Battery Charger Kit (US) — SAC5500-400CR Kit Includes: Four Slot Battery Charger (SAC5500-4000CR), Power Supply (KT-14000-148R), and US three wire grounded AC power line cord (23844-00-00R).
	Four Slot Battery Charger Kit (International) — SAC5500-401CR Kit Includes: Four Slot Battery Charger (SAC5500-4000CR) and Power Supply (KT-14000-148R). Requires purchase of country specific three wire grounded AC power line cord.
Battery Charger Accessories*	
	Power Supply — KT-14000-148R 100-240 VAC, 2VDC, 3.33A
	US AC Line Cord — 23844-00-00R
Direct-Connect Charging Cables	
	Auto Charge Cable (Vehicle Cigarette Lighter Adapter) — VCA5500-12R 12V / Length: 161.9 cm (66.54 in.)
	USB Charge and Communication Cable: Terminal to Host — 25-108022-01R Double-ended cable connects the MC55 to the USB port on a computer to enable Active Sync and charging. To enable charging, Power Supply (50-14000-249R) and country specific two wire ungrounded AC power line cord are required. <i>Specifications:</i> Length: 161.9 cm (63.74 in.)
	Charge Only Cable — 25-112560-01R Cable between the MC55 and the Power Supply. Requires Power Supply (50-14000-249R) and country specific two wire ungrounded AC power line cord. <i>Specifications:</i> Length: 28.0 cm (11.00 in.)
Direct-Connect Charging Cable Accessories*	
	Power Supply — 50-14000-249R 100 – 240VAC, 5.4 VDC, 3A
	US AC Line Cord — 50-16000-182R
Vehicle-related Accessories	
Image Coming Soon	Vehicle Charging Cradle — VCD5500-1000R** Enables in-vehicle charging. Bolts into dashboard and connects to vehicle fuse box via a cable. <i>Specifications:</i> Height: 10.4 cm (4.09 in.) / Width: 11.1 cm (4.37 in.) / Depth: 6.9 cm (2.72 in.) / Weight: 240 g (8.47 oz) / Power: 12 VDC
Image Coming Soon	Vehicle Holder Mount — VCH5500-1000R Suction-cup style windshield mount holder accommodates the MC55 with the standard and extended battery. (Note - does not supply power.)
Image Coming Soon	Vehicle Holder Mount Kit — VCH5500-101R Includes Vehicle Holder Mount (VCH5500-1000R) and Auto Charge Cable (VCA5500-12R)
	12V Auto Charge Cable (Cigarette Lighter Adapter) — VCA5500-12R

*See International Line Cords section for list of International two wire grounded AC Line Cords.

** Available March 2009

Holsters



Hard Case Rigid Holster — SG-MC5511110-01R
Includes large swivel clip for rugged applications



Soft Case Holster — SG-MC5521110-01R
Includes plastic belt clip

Miscellaneous



Stylus — KT-119150-03R
Plastic stylus for the MC55 — 3 pack



Stylus — KT-119150-50R
Plastic stylus for the MC55 — 50 pack



Optional stylus — Stylus-00001-03R
Spring-loaded stylus for the MC55 — 3 pack



Optional stylus — Stylus-00001-10R
Spring-loaded stylus for the MC55 — 10 pack



Spare screen protectors - 3 pack — KT-67525-01R

International Line Cords

Country	Three Wire Grounded	Two Wire Ungrounded
Abu Dhabi	50-16000-220R	50-16000-255R
Australia	50-16000217R	50-16000-666R
Bermuda	50-16000-219R	50-16000-670R
Bolivia	50-16000-220R	50-16000-255R
Brazil	50-16000-221R	50-16000-182R
China	50-16000-257R	50-16000-664R
Dubai	50-16000-220R	50-16000-255R
Egypt	50-16000-220R	50-16000-255R
Europe	50-16000-220R	50-16000-255R
Hong Kong	50-16000-219R	50-16000-670R
India	50-16000-669R	Not Available
Iran	50-16000-220R	50-16000-255R
Iraq	50-16000-219R	50-16000-670R
Israel	50-16000-672R	Not Available
Italy	50-16000-671R	50-16000-255R
Japan	50-16000-218R	Not Available
Korea	50-16000-256R	50-16000-255R
Malaysia	50-16000-219R	50-16000-670R
New Guinea	50-16000-217R	50-16000-666R
Russia	50-16000-220R	50-16000-255R
Singapore	50-16000-219R	50-16000-670R
United Kingdom	50-16000-219R	50-16000-670R
United States	23844-00-00R	50-16000-182R
Vietnam	50-16000-220R	50-16000-255R



MOTOROLA

motorola.com

Part number BR-CAT-MC55-ACC. Printed in USA 01/09. MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. ©2009 Motorola, Inc. All rights reserved. For system, product or services availability and specific information within your country, please contact your local Motorola office or Business Partner. Specifications are subject to change without notice.